

HAGS[®]



Tender Response

For
Moray Council
Randolph Lane Play Area
Quotation ref: Q-33529-D7Z2 rev 0
17th January 2025









Contents:

Please provide details of any component of your proposal, where lifetime warranty is available	
10%	3
Technical Officer evaluation 43%	5
Technical Information	5
Maintenance	9
Spares Availability	9
Play Value	11
Play Value Chart	11
Design Plan	12
Community consultation 47%	13
Programme of works 0%	15
Itemised Quotation	16
Freedom of Information	38



Please provide details of any component of your proposal, where lifetime warranty is available 10%

Lifetime Warranty Table:

Product Image	Component Part	Lifetime Warranty
	Steel Frame	
	Steel Posts	
	Steel Frame	
	Steel Post on Platform	

We offer a 12-month defect warranty period for the entire site and replacement parts will be provided free of charge for all failures due to normal wear and tear within the warranty period.

Play and park products.

Guarantee	Item	Applies for
Lifetime	Structural steel; stainless steel HDPE Panels	Material failure or manufacturing defects
20 years	HPL components	Material failure or manufacturing defects
15 years	Structural engineered softwood posts; engineered hardwood Structural steel for highly dynamic play	Severe rot Material failure or manufacturing defects
10 years	Non-structural engineered softwood; galvanised and other non- painted metal parts Robinia wood	Material failure or manufacturing defects Severe rot
5 years	Springs; plastic; net constructions Painted metal parts	Material failure or manufacturing defects Severe corrosion
2 years	Movable parts; rubber parts (swing seats, rubber tiles etc); plywood components; all other products in general	Material failure or manufacturing defects

Surfacing

Guarantee	Item	Applies for
10 years	Grassmats	Material failure or manufacturing defects
5 years	Wet pour	Material failure or manufacturing defects

Installation

Guarantee	Item	Applies for
1 year	Installation	HAGS products and approved third-party partner products

Limitations

HAGS will repair or replace any defective part, free of charge and at our discretion, provided there is reasonable cause.

A part is covered for the original warranty period. Once a warranty period elapses, so does the warranty on any replaced or repaired part. HAGS equipment must be maintained in accordance with our maintenance instructions.

Exclusions

Warranties do not cover failure, damage or deterioration due to abnormal use. This includes lack of maintenance, vandalism, incorrect installation by others, excessive wear and tear, exposure to sea front conditions and abnormally high pollution levels.

Technical Officer evaluation 43%

Technical Information

All HAGS products are independently certified to EN1176 (Play Equipment) and EN1177 (Safety Surfacing) and copies of all our product certification are available upon request.

Since our inception in 1948, the cornerstone of our company ethos has been an unwavering commitment to quality. Our commitment to excellence extends to multiple facets of our operations:

- ISO 9001 – Quality Management System
- ISO 14001 – Environmental Management System
- ISO 45001 – Safety Management System
- TUV SUD – Products Certified to EN 1176
- IPEMA - Products Certified to ASTM F1487 & CSA Z614

These certifications underscore our unrelenting dedication to providing outstanding products and services while upholding the utmost standards in quality, environmental responsibility, and safety.

Steel




We only use structural grade steel engineered to cope with repeated use and heavy impacts. The material undergoes a number of treatments that increase its durability and resilience.




Steel equipment provides a modern aesthetic that complements contemporary architecture. It is a low-maintenance choice with excellent durability, making it well-suited for challenging environments. We exclusively use structural steel capable of withstanding frequent use and heavy impact. The material undergoes various treatments to enhance its durability and resistance. Handling the entire process internally gives us complete control over quality and safety. Our coatings and paints are sourced from Akzo Nobel, a renowned global manufacturer known for rigorous testing procedures and high-quality products. HAGS is an accredited user of the company's coatings.




Properties and benefits of Stainless Steel

Stainless Steel presents a smooth and visually appealing finish while providing outstanding resistance to corrosion. This type of steel is particularly well-suited for components subjected to heavy wear or stress, such as slides or structural posts. Thanks to its distinctive properties, stainless steel demands minimal maintenance and retains its visually pleasing appearance over an extended period.



<p>Chain Shackles</p> <p>Swing chain shackles are drop forged, normalized and descaled, tolerances to BS4114, and using steel to BS970: Part 1, Grade 040 A04 and bright zinc plated. Shackle pins are machined from stainless steel to BS970: Part 1, 1970/72, Grade 303 S21. The shackle assembly is proof load tested to 1.02 tonnes safe working load.</p> <p>Swing Bush</p> <p>Special bush for shackle pin manufactured from manganese bronze and lanolin impregnated, with molybdenum additive to BS5600 Part 5.</p>	 <p>The image contains three separate photographs. The first shows a section of a metal chain. The second shows a chain shackle with a pin. The third shows a cylindrical swing bush component.</p>
<p>Fixings</p> <p>Generally, bolts are special stainless steel tamper resisting button heads “torx” type manufactured to ISO3506 stainless steel, Grade A2.</p>	 <p>A close-up photograph of a stainless steel bolt with a torx head, showing the six-pointed star pattern in the center of the head.</p>
<p>Timber</p> <p>Our pine is sourced from Scandinavian forests where the trees grow slowly and develop a very dense and compact quality. We select only the best trees that are free from defects. Even untreated, it is thus extremely strong and less susceptible to attack by beetles or fungi. Our pine will also withstand demanding weather conditions such as long, cold winters or humid environments.</p> <p>Wooden parts are first treated with oil, which increases the durability of the material and enhances its natural appearance. A wood stain primer and finisher is then applied to add an extra protective layer and obtain a smooth surface, as well as a pleasant subtle colour. This also means that the surface resists water penetration.</p> <p>All our wooden poles have ground necks in galvanized steel to avoid direct contact with the ground. This reduces the risk of mold or rot. Vertical poles have a plastic cap on top for additional protection.</p> <p>Load-bearing posts are made of glued wood and designed to withstand heavy wear and</p>	 <p>The image block contains two logos at the top: PEFC (Programme for the Endorsement of Forest Certification) and FSC (Forest Stewardship Council). Below the logos is a technical diagram showing a timber post being installed into a concrete foundation. The diagram labels the following components: Timber Post, M12 Bolt (two locations), Steel foot is inserted into base of timber, Steel Foot, Concrete, and Steel bar through foot to stop twisting. Dimensions of 70mm and 600mm are indicated for the concrete base.</p>

<p>repeated impact. Load relief grooves help stabilize the wood and reduce the risk of cracking.</p> <p>Our team of engineers also work hard to come up with well thought out design solutions to prevent water stagnation that accelerates the wood's decomposition process.</p> <p>Steel Feet</p> <p>All HAGS timber items have steel feet to mitigate the timber being under ground. This promotes longevity for the timber avoiding under ground rot.</p>	
<p>HPL Panels</p> <p>HPL boasts outstanding resilience and a visually appealing appearance. As it can cope with strong coastal winds and high humidity levels, it is suitable for all environments, including coastal locations.to a minimum. Generally, panels are dual colour to allow playful graphics to be engraved in place.</p>	
<p>Rope</p> <p>Customers can rely on our expert knowledge in rope, connector and end fittings to find the best solution for their playground. Supplied by Tayplay in Perth Scotland.</p>	
<p>Polyurethane</p> <p>Polyurethane foam is used to create seats on our seesaws. This has an outer skin formed on it as part of the moulding process. Both parts have a metal skeletal structure moulded within to give them strength.</p>	

<p>Coatings and paint finishes</p> <p>Our powder coating system is fully automated and our 'Extra Life' finish is certified by Akzo Nobel. Thorough tests on HAGS SMP equipment components have been carried out resulting in a life expectancy of over 5 years in "urban and industrial atmospheres with moderate sulphur dioxide pollution".</p>	
<p>Grass Matting Safety Surfacing</p> <p>Rubber grass mat is an environmentally friendly non-slip, impact absorbing surfacing ideal as a natural looking alternative surfacing that will blend into its surroundings, reducing the visual impact while protecting the underlying grass surface.</p> <ul style="list-style-type: none"> • Fully tested to EN1177 and BS7188 • Easily maintained and a cost efficient alternative to wet pour 	
<p>Wetpour Safety Surfacing</p> <p>Wetpour rubber crumb is a play surface made from granulated rubber crumb, ideal for surfaces requiring impact protection such as play equipment and within play areas.</p> <p>The surface has passed the most comprehensive testing criteria which includes critical fall height, flammability, indentation and abrasive wear and is still the most widely used safety surface of choice throughout the UK, EN1177 tested and compliant.</p>	

Maintenance



Inspection & Maintenance
Guidelines for HAGS Play Equipment

HAGS
equipping all generations

All play equipment installed in public areas should be inspected and maintained in accordance with European Standards recommendation for the routine and operational inspection and maintenance of playground equipment: EN1176-7.

The schedule includes detailed procedures and check lists for all inspections:

- Routine Visual Inspection
- Operational Inspection
- Annual Inspection

As well as maintenance procedures for all products including Impact attenuating surfaces.

To help protect product warranties, records of inspection and maintenance should be kept by the owner/ operator in charge of the equipment, detailing what has been carried out.

To ensure that the equipment is correctly maintained in accordance with HAGS' guidelines, Moray Council will be issued with all the documentation that is required at time of installation completion/handover to effectively manage and maintain the newly installed equipment, typically.

- As built drawings
- Inspection and Maintenance schedules for all equipment
- Installation instructions of installed equipment to cross reference
- Customer service centre contact details for additional support

Within the documentation provided it will give clear and concise instruction as to how best to effectively maintain specific items of equipment. Utilising drawings, part codes and specific tooling requirements.

Any product specific tooling which may be required to effectively maintain the proposed equipment will be supplied to the Council at point of site handover.

Spares Availability

Spare Parts

To help protect product warranties, records of inspection and maintenance should be kept by the owner/operator in charge of the equipment, detailing what has been carried out.

We understand that availability of spare parts and prompt response to vandalism issues is essential to all our customers ensuring you can speedily return any damaged or worn components to operational use. As HAGS manufacture and stock in the UK we are well placed to ensure a smooth, efficient and hassle-free dispatch operation of parts that you may require.


Our spares department can be contacted between the hours of 8.45am and 5.30pm Monday to Thursday and between 8.30am - 4.30pm and 3:30pm on Fridays.

Our spares number is: 0845 260 1655 or 01757 703620 email: Spares@hags.co.uk

We understand the importance of getting the right spare parts, quickly and efficiently, to our customers and that's where our UK manufacturing and spare parts operation comes into its own. Through our dedicated spares team we are able to offer full product support for all items and are always available to offer advice regarding replacement parts.

Very few of our components are stocked from outside the UK and the most commonly required

spare parts are held in both Egham and Selby for immediate delivery. For those parts that are manufactured in Poland we run a weekly delivery service into the UK to ensure this will not create delays in their onward despatch.



Spare Part Identification

Upon completion of every project, we prepare and forward detailed Operation & Maintenance manual on a USB storage device. Within this are the detailed installation instructions for all the equipment within your play, sport or fitness installation. All instructions contain a visual reference for each component along with a component ID for easy referencing.

If this information isn't to hand, simply take a photo of the part required and email to our customer service department.



Please also see attached in Appendix 1 Play Equipment Product Sheets & Warranties

Play Value

Please see below the Play Value Chart showing approx. 24 play activities for 77+ for ages 2 - 14years highlighting wheelchair accessible and inclusive play equipment. The design of Randolph Lane play area enables all children no matter their abilities to have the opportunity to play. We have designed Randolph Lane play area avoiding segregation and encouraging all the community to play together.

Core items marked with ✓

Additional Items marked with +

Play Value Chart

Moray Council - Randolph Lane Play Area


Equipment		<div><div></div></div>																										
	Description	Number of Users	Accessible	Inclusive	Aerobic	Balancing	Climbing	Crawling	Fitness	Gliding	Hanging	Jumping	Rocking	Sliding	Spinning	Swinging	Coordination	Explorative	Quiet Space	Tactics	Creative Play	Role Play	Imagination	Interactive	Group Play	Multi-generational	Sensory	Social Play
✓	Spinnee Roundabout	4	✓	✓		✓									✓		✓						✓	✓	✓		✓	
✓	UniMini Ceres	6		✓		✓	✓	✓	✓			✓		✓			✓	✓		✓	✓			✓	✓		✓	✓
✓	Swing Frame with 2 Seats	4	✓	✓												✓					✓			✓	✓			✓
+	Small Square Trampoline	1	✓	✓		✓						✓					✓									✓		
+	Hilly Springer	4		✓		✓							✓				✓				✓	✓	✓	✓	✓		✓	✓
+	Springer	1	✓	✓									✓				✓					✓	✓		✓		✓	✓
+	Various Play Panels	8	✓	✓													✓	✓	✓	✓			✓	✓		✓	✓	
✓	Muti Unit - Junior	28	✓	✓																								
✓	Swing Frame with 3 Seats	5	✓	✓		✓	✓	✓	✓			✓	✓			✓	✓	✓		✓	✓		✓	✓	✓		✓	✓
✓	Mantis Zipwire	1			✓	✓	✓		✓	✓	✓	✓				✓	✓						✓	✓			✓	✓
+	Various Trim Trail	15		✓		✓	✓	✓	✓		✓	✓					✓			✓			✓	✓		✓	✓	✓
	Total	77	7	10	1	7	3	3	4	1	3	5	2	2	1	3	9	3	1	4	3	1	4	8	6	3	6	7

HAGS®

HAGS

Design Plan

Please see thumbnail below and in Appendix 2



Community consultation 47%

Please see below thumbnails and in Appendix 3 copies in PDF & JPEG



Rationale

The park has been designed with a core focus on inclusivity and diversity. The design incorporates a variety of materials, predominantly natural tones with select vibrant colours to provide visual stimulation. The area is designed to facilitate stimulating, role-playing, and collaborative play, and objectively promoting interaction among children of all abilities.

Leveraging the existing fence-line, we have developed an accessible toddler area that prioritises inclusivity and offers significant play-value, encouraging structured developmental play. Features include:

- **Swings:** Cradle and basket swings to accommodate diverse needs.
- **Inclusive Roundabout:** Designed for accessibility and group play.
- **Toddler Unit:** With sloped ramp access / climbing-wall, balancing elements, and slide, promoting motor skill development.
- **Sensory Play Panels:** Specifically incorporated to engage multiple senses.
- **Inclusive Rockers:** Designed for collaborative and accessible play.
- **Trampoline:** Developing balance and coordination.

The junior area, features a range of equipment designed for older children, including:

- **Swings:** A variety of swings, including flat and basket swings, catering to different needs.
- **Zip Wire:** A 20-meter zip wire.
- **Bespoke Junior Unit:** Featuring easy-access stairs leading to a double-width slide, climbing wall, single-width slide, and various challenging features, promoting physical activity and problem-solving, low-level play and collaborative play.
- **Five-Piece Agility Trail:** encircling the area, comprising:
 - Inclusive Pull-up / Roll-over Bars
 - Balance Beam
 - Substantial Monkey Bars
 - Climbing Wall & Clamber Net
 - Walk & Stretch Posts

This trail is designed to enhance strength, balance, and coordination.

Seating has been included, as well as bins to promote a clean and tidy play-area.

Programme of works 0%


Please see thumbnail below and in Appendix 4 – Programme of Works & RAMS

Manufacturing timescales and delivery to site

As per the information provided by Moray Council the lead time for installation commencement will be confirmed at receipt of order, but typically for bespoke projects this is 8 weeks. Following a final site survey, risk assessment and pre-start meeting, a full programme of works highlighting exact timings along with a Risk and Method Statement detailing installation management and risk control will be confirmed and made available to Moray Council review before delivery and installation commences.


Activity	Completion Date
Contract notice advertised on PCS Advert	29/11/2024
Deadline for supplier clarifications/questions	
Deadline for submissions	17/01/25
Tender evaluation	20-31/01/25
Issue Contract	07/02/25
Works to be completed by	19/07/25


Programme of works



Itemised Quotation

Breakout & Remove

B&R Bow Top Fencing/Gate (Remove)		
	Breakout and remove from site 3m of bowtop fencing/gate to allow for new Combination Gate (removing foundations)	£27.00
Item Total		£27.00

B&R Multi-Unit Foundations + Grassmats		
	Breakout and remove from site multi-unit foundations and associated grassmats, leaving embedded grassmats in place, which dont affect laying of new grassmat tiles.	£700.00
Item Total		£700.00

Supply & Install - Fenced Toddler Area

Spinmee Inc. Roundabout 3 Colour Collection 8 - (CAR-SP3(008))



PRODUCT FEATURES

The Spinmee Inclusive Roundabout is accessible to those with mobility impairments as well as wheelchair users. Its rotating base is flush with the surrounding safety surface allowing for easy transition between the surfaces. The design of the roundabout allows for both seated and standing users while also featuring 2 locations that can securely accommodate wheelchairs.

EQUIPMENT DIMENSIONS

m (L x W x H): 2.05 x 2.05 x 0.80

USERS

Age range: 4+

No. of users: 4

INSTALLATION

Minimum concrete volume cu. m: 0.35

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.00

Falling Space area – sq.m: 28.28

Min wet pour area – sq.m: 30.00

PLAY VALUE



PRICING

Supply 1 No. Spinmee Inclusive Roundabout

£6,696.00

Soft Dig Installation

£975.00

Item Total

£7,671.00

UniMini Ceres (Natural Brown Wood) Primary



PRODUCT FEATURES

The Ceres play unit, designed for toddlers aged 2-5, features two towers connected by a rope bridge with sturdy handles for support, ensuring a safe and adventurous journey. With a 0.59m platform, it's perfectly sized for little ones to explore. One tower offers gentle ramp access, while the other includes a rung ladder and a slide for exhilarating descents. The addition of a sheltered platform sparks imaginative play, making Ceres an ideal playground choice for fostering physical and creative development in young children.

EQUIPMENT DIMENSIONS

m (L x W x H): 2.9 x 2.0 x 2.4

USERS

Age range: 2+

No. of users: 6

INSTALLATION

Sunken Foundation

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60

Falling Space area – sq.m: 24.00

Min wet pour area – sq.m: 25.00

PLAY VALUE



PRICING

Supply 1 No. UniMini Ceres (Timber) - Primary

£5,310.00

Soft Dig Installation

£1,287.00

Item Total

£6,597.00

Lillie Base Module with Dolly Seat & Kiddy Seat (Pastel Green)



PRODUCT FEATURES

Fly like a bird in this Lillie Swing with Basket seat. It provides ideal safe and secure seating for children of all abilities to enjoy the thrill of this most popular of playground activities inclusively and it also offers the chance for a small group of children to use a swing at the same time, thus encouraging social and interactive play. Available for up to 4 users from 2 years of age.

EQUIPMENT DIMENSIONS

m (L x W x H): 2.0 x 0.9 x 1.6

USERS

Age range: 2+

No. of users: 4

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.20

Falling Space area – sq.m: 13.50

Min wet pour area – sq.m: 11.50

PLAY VALUE



PRICING

Supply 1 No. Lillie Base Module £2,831.00


Soft Dig Installation £579.00

Lillie Extension Installation Soft Dig £288.00

Supply 1 No. Lillie Extension £1,702.00

Item Total £5,400.00

Small Square Trampoline 1m x 1m; 1M-T100S - (TRAM8066466)



PRODUCT FEATURES

A single person trampoline designed for both adults and children. Jumping area 1m x 1m. The jumping mat is made from special anti-slip plastic blocks which are also weather resistant. Trampolining is a great way to promote regular exercise. As well as focussing on children's health and enjoyment, it boasts various health benefits for adults as well - just a few minutes of jumping increases the heart rate and helps burns calories.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.5 x 1.5 x 0.44

USERS

Age range: 5+

No. of users: 1

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.00

Falling Space area – sq.m: 15.00

Min wet pour area – sq.m: 15.50

PLAY VALUE



PRICING

Supply 1 No. Small Square Trampoline

£3,137.00


Soft Dig Installation

£764.00

Item Total

£3,901.00

Hilly 4 Seat Springer - (HAG8051223)



PRODUCT FEATURES

The four-seater springer is an exciting take on a classic playground staple and its sleek, contemporary look will add value to any play area. It is also a simple and inexpensive way to add imaginative features to a playground and it can be used to complement a themed multi-play unit.

The fun shape and bright colours stimulate children's imagination and encourage them to engage in role play. Up to four children can play together, which promotes social interaction and co-operation. Its side panels provide young children with additional support and ensure a safe experience for all.

Quick and easy to install, all parts can be recycled.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.63 x 0.75 x 0.91

USERS

Age range: 2+

No. of users: 4

INSTALLATION

Sunken Foundation

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60

Falling Space area – sq.m: 10.00

Min wet pour area – sq.m: 16.00

PLAY VALUE



PRICING

Supply 1 No. Hilly Springer

£2,737.00

Soft Dig Installation

£416.00

Item Total

£3,153.00

Snappy Inclusive Springer Green, SF - (HAG8107673)



PRODUCT FEATURES

Spring Toy Snappy is an inclusive spring toy designed to look like a crocodile and offers play for children between 2-5 years. Springers is a common feature on the playground, the schoolyard, by the residential area or by the park. With a high backrest of 550 mm and the possibility of attaching our safety harness, more children can experience the thrill that you get from rocking back and forth. Snappy also has a handle at the top of the backrest that allows an adult to help and provide support. With two easily accessible handles, children can hold on firmly throughout the experience

EQUIPMENT DIMENSIONS


m (L x W x H): 0.75 x 0.60 x 0.95

USERS

Age range: 2+

No. of users: 1

PLAY VALUE



INSTALLATION

Sunken Foundation

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.60

Falling Space area – sq.m: 8.50

Min wet pour area – sq.m: 8.50

PRICING

Supply 1 No. Snappy Inclusive Springer


£1,346.00


Soft Dig Installation


£216.00


Item Total

£1,562.00

Playground Communication Panel (FIPLCO6)		
	<p>Supply 1 no. Playground Communication Panel (FIPLCO6)</p> <p>Fitzgerald Key Communication Panel designed specifically for children who have difficulty communicating verbally, such as those with Autism.</p> <p>Children can express their thoughts by pointing to the panel's symbols, which have been specially selected for playground environments. The panel is made from XD-Eco HDPE, which has a recycled black core, it is a virtually unbreakable and rigorously tested recyclable plastic. This product supports communication to promote inclusive play.</p>	£375.00
	<p>Supply 1 No. Fixing Kit</p>	£146.00
Item Total		£521.00

Farmyard Search Play Panel (FIFARM6)		
	<p>Supply 1 no. Farmyard Search Play Panel (FIFARM6)</p> <p>Find the animals on the farm by finding their names amongst the Farmyard Search Play Panel crossword. Perfect for the playground or play space.</p>	£110.00
	<p>Supply 1 No. Fixing Kit</p>	£146.00
Item Total		£256.00

Butterfly Maze Play Panel (FIMZBF6)		
	<p>Supply 1 no. Butterfly Maze Play Panel (FIMZBF6)</p> <p>The Butterfly Maze Play Panel is an engraved tactile panel, with two opposing mirrored mazes where you can race a friend to the finish, or if you are really dexterous you can try solving both the left and right mazes at the same time. The panel is supplied in high contrast yellow/black, which is also good for children with visual impairments. The panel is made from XD HDPE, which has a recycled black core, it is a virtually unbreakable and rigorously tested recyclable plastic. This product supports both touch and visual stimulation as well as inclusive play.</p>	£88.00
	<p>Supply 1 No. Fixing Kit</p>	£146.00
Item Total		£234.00

Sensory Play Panel (FISENP6)		
	<p>Supply 1 no. Sensory Play Panel (FISENP6)</p> <p>Stimulate the touch, sight and sound senses with the Sensory panel.</p> <p>The Sensory Panel is an engaging panel with various activities to stimulate touch, sight and sound senses. The panel has a great selection of activities including tumble ball and spiral spinners, roller ball seed pods, tactile leaves, coloured window and sliding counters. This is a compact, fun panel that will keep children of all abilities engaged and busy, with lots to do and explore. Made from tough, durable, and safe HDPE which is 100% recyclable. BS EN 1176 - Designed to British & European Standards.</p>	£374.00
	<p>Supply 1 No. Fixing Kit</p>	£146.00
Item Total		£520.00

Essentials Picnic Table (Inclusive) Colour Coll 1 - (V-OFPICNIC(001))



PRODUCT FEATURES

Make the most of a visit to the playground with this Essentials Picnic Table. It is stylish, durable, comfortable and has room for all the family picnicking or, say, a group of children celebrating a birthday. Its neutral colouring, rounded corners and simple design make it at home in any playground scheme.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.76 x 1.34 x 0.7

INSTALLATION

Minimum concrete volume cu. m: 0.22

PLAY VALUE



PRICING

Supply 1 No. Essentials Picnic Table (Inclusive)

£1,221.00

Soft Dig Installation

£204.00

Item Total

£1,425.00

1m High 3.1m Wide Combination Gate (12mm dia)



Supply 1 no. 12mm dia bar, 1m high powder coated yellow - 3.1m wide combination gate (c/w lockable/removeable centre post)

£1,815.00

Soft dig installation of 3m wide combination gate

£235.00

Item Total

£2,050.00

Knight Closed Top Litter Bin (Capacity 94 litres) - (EX325S)



PRODUCT FEATURES

'Knight's' minimalist design is reminiscent of a chess piece. This essential item has a capacity of 94 litres and is supplied with a removable galvanised liner, slam-lock lid and set of keys to make sure litter is unremovable by children and animals. It is firmly secured with an in-ground concrete fixing kit and the steel construction is resistant to serious fire damage.

INSTALLATION

Minimum concrete volume cu. m: 0.10

PRICING

Supply 1 No. Knight Litter Bin	£641.52
Soft Dig Installation	£96.00

Item Total **£737.52**

Supply & Install - Junior Area

Bespoke UniPlay (SP7503)	
 <p>EQUIPMENT DIMENSIONS m (L x W x H): 9.27 x 6.63 x 3.9</p> <p>USERS Age range: 5-12 No. of users: 28+</p> <p>INSTALLATION Cast in Place</p> <p>SURFACE & SPACE REQUIRED Max Free Fall height - 2.5m Falling Space area – 72.3m² Min wet pour area – 73m²</p> <p>COLOUR DESCRIPTION Pastel Green Steel Posts, Pale Green Steel Grips + Rails and Reseda Green Steel. Frog Green HPL Barriers and Midori Green HPL Roofs.</p>	
<p style="text-align: right;">PRICING</p> <p style="text-align: right;">Supply 1 no. Bespoke UniPlay - SP7503</p> <p style="text-align: right;">Installation Soft Dig</p>	<p>£33,376.00</p> <p>£4,981.00</p>
<p style="text-align: right;">Item Total</p>	<p>£38,357.00</p>

Mira Swing CC Base Module 2 seat frame, Red - (HAG8081949)



PRODUCT FEATURES

Whilst playing equipment has progressed and evolved immeasurably over the years, there are some classic pieces of equipment that will always remain popular and important in any play-scheme. HAGS range of stylish Mira swings will be a great addition to every play area. This 2.4m high swing frame provides great play appeal for children to interact and develop socially, and physically.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.55 x 7.15 x 2.4

USERS

Age range: 2+

No. of users: 7

INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.40

Falling Space area – sq.m: 53.00

Min wet pour area – sq.m: 46.50

PLAY VALUE



PRICING

Supply 1 No. Mira Swing, Base Module for Basket Seat plus 2 seat swing frame, red	£2,398.00
Supply 2 No. Katja Seat, c/w ss chains, 6mm, black	£346.00
Supply 1 No. Bravo Seat c/w ss chains, 6mm, black	£741.00
Soft Dig Installation	£1,062.00

Item Total £4,547.00

MANTIS Zipwire- 20m with ramp for concrete - (HS8064713(08))



PRODUCT FEATURES

Cable rides and zip wires have always been very popular with children of all ages as it encourages energetic play, offers a thrilling ride with an element of competition if desired and is highly stimulating. This MANTIS model is 20 metres in length, complete with a launch platform, pommel seat and spring loaded buffer mechanism. Mantis is constructed from structural grade steel and also features an easy tensioning mechanism that does not require any dismantling or specialist tools.

EQUIPMENT DIMENSIONS

m (L x W x H): 24.94 x 3.25 x 3.97

USERS

Age range: 5+

No. of users: 2

INSTALLATION

Minimum concrete volume cu. m: 6.98

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.50

Min wet pour area – sq.m: 81.00

PLAY VALUE



PRICING

Supply 1 No. Mantis Zipwire

£7,523.00


Soft Dig Installation

£2,725.00

Item Total

£10,248.00

Roll Over Bars, with steel feet - (PD3000-52S)



PRODUCT FEATURES

The ever-popular Adventure Trail range with something to suit all budgets and space requirements. The roll over bars will encourage unprescriptive play through hanging, rolling over or climbing the bars

EQUIPMENT DIMENSIONS

m (L x W x H): 3.3 x 0.2

USERS

Age range: 5+

No. of users: 3

PLAY VALUE



INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 1.10

Falling Space area – sq.m: 17.50

Min wet pour area – sq.m: 18.00

PRICING

Supply 1 No. Roll Over Bars

£988.00

Soft Dig Installation

£381.00

Item Total

£1,369.00

Balance Walk, with steel feet - (PD3000-01S)



PRODUCT FEATURES

Part of our ever-popular Adventure Trail range with something to suit all budgets and space requirements. Balance Walk will encourage children to test their balance and independence skills while playing imaginative games.

EQUIPMENT DIMENSIONS

m (L x W x H): 2.40 x 0.13 x 0.43

USERS

Age range: 3+

No. of users: 3

PLAY VALUE



INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.44

Falling Space area – sq.m: 15.00

Min wet pour area – sq.m: 15.50

PRICING

Supply 1 No. Balance Walk £410.00

Soft Dig Installation £210.00

Item Total £620.00

Monkey Bars, with steel feet



PRODUCT FEATURES

Part of our ever-popular Adventure Trail range with something to suit all budgets and space requirements. Balance Walk will encourage children to test their balance and independence skills while playing imaginative games.

USERS

Age range: 3+
No. of users: 3

INSTALLATION

Cast in Place

PLAY VALUE



PRICING

Supply 1 No. Monkey Bars, with steel feet

£2,144.00


Soft Dig Installation

£561.00

Item Total

£2,705.00

High Boulder Climber, with steel feet



PRODUCT FEATURES

Part of our ever-popular Adventure Trail range with something to suit all budgets and space requirements. Balance Walk will encourage children to test their balance and independence skills while playing imaginative games.

USERS

Age range: 3+
No. of users: 3

INSTALLATION

Cast in Place

PLAY VALUE



PRICING

Supply 1 No. High Boulder Climber, with steel feet	£3,063.00
--	-----------

Soft Dig Installation	£561.00
-----------------------	---------

Item Total	£3,624.00
-------------------	------------------

Walk and Stretch Posts, with steel feet - (PD3000-02S)



PRODUCT FEATURES

The ever-popular Adventure Trail range with something to suit all budgets and space requirements. Walk and Stretch Posts will encourage children to test their balance and traversing skills.

EQUIPMENT DIMENSIONS

m (L x W x H): 2.23 x 0.64 x 1.00

USERS

Age range: 3+

No. of users: 3

PLAY VALUE



INSTALLATION

Cast in Place

SURFACE & SPACE REQUIRED

Max Free Fall height -m: 0.30

Falling Space area – sq.m: 16.00

Min wet pour area – sq.m: 17.00

PRICING

Supply 1 No. Walk and Stretch Posts

£1,652.00

Soft Dig Installation

£746.00

Item Total

£2,398.00

Essentials Seat Colour Collection 1 - (V-OFSEAT(001))



PRODUCT FEATURES

The Essentials Seat is an extension of the design for the Essentials Bench. It has a simple design with rounded corners for safety, and incorporates a sturdy, sloping back rest for extra comfort. Whether used as a family gathering point, a socialising opportunity or a place where parents can relax and watch their children play, this seat is equally at home in any playground environment.

EQUIPMENT DIMENSIONS

m (L x W x H): 1.76 X 0.51 X 0.85

INSTALLATION

Minimum concrete volume cu. m: 0.05

PLAY VALUE





PRICING


Supply 1 No. Essentials Seat	£633.00
Soft Dig Installation	£102.00


Item Total £735.00

Supply & Install - Surfacing




Wet Pour		
	Supply and lay 25m2 of 40mm thick black flush wet pour [as per design]	£3,946.25
	Soft dig excavation to 140mm & cart away spoil - 25m2	£402.50
	Supply and install 25m2 of geotextile membrane	£76.25
	Supply and install 25m2 of 100mm MOT type 1	£712.50
Item Total		£5,137.50

GRASSMATT FR SURFACING FLAME RETARDANT1.5Mtx1Mt - (RP400S)		
	Supply 213 No. Grassmat tiles	£8,396.46
	Install grass mat	£3,834.00
Item Total		£12,230.46

Topsoil & Seed		
	Supply & lay 80m2 of 50mm topsoil & seed general reinstatement.	£1,064.00
Item Total		£1,064.00

Topsoil & Turf		
	Supply & lay 40m2 of 50mm topsoil & turf. Watering responsibility by others.	£720.00
Item Total		£720.00

Project Preliminaries

Carriage charge		
	Orders with equipment valued below £5,000 carriage is charged at 12%. Orders with equipment valued above £5,000, carriage is charged at 6%.	£3,500.00
Site Security / Storage / Welfare Facilities		
	<p><u>Site Security</u> – As recommended by the Health and Safety Executive, 2m high temporary site security fencing will be erected whilst all installation works are undertaken, including site safety signage.</p> <p><u>Site Storage</u> – Supply secure container for duration of the works inclusive of site compound management.</p> <p><u>Welfare Facilities</u> – Supply suitable welfare facilities for the duration of the project in line with the requirements of the Construction Design and Management Regulations 2015 (CDM)</p> <p><u>Skip Allowance</u></p>	£3,700.14
Post Installation Inspection		
	RPII Post Installation Inspection	£1,049.00
Preliminaries Total		£8,249.14

Quotation Summary

Quotation sub-total	£126,758.62
Less special project discount	-£40,758.62
Quotation Total (exclusive of VAT)	£86,000.00

Freedom of Information

Non-disclosure of commercially sensitive documents under Freedom of Information Act

HAGS-SMP Ltd. consider our proposal return documentation to be commercially sensitive information under the Freedom of Information Act 2000. We request it is not disclosed on the grounds that its disclosure under this Act would, or would be likely to, prejudice the commercial interests of any person holding it without upholding any public interest.

Commercially sensitive extends to, but is not limited to: pricing, company structure and resources, method statements for the delivery of the works and services and descriptions of our products or bespoke environment designs. Release of this information would give commercial competitors an unfair advantage against HAGS-SMP Ltd. on any future proposal submissions.

However, our 3D visual design drawings may be reviewed and released under a FOI Act request as this is generally available within the public domain or may have been displayed at a public event.



HAGS[®]

Inspiring all generations

hags.co.uk | sales@hags.co.uk | 0845 260 1655



 PlayPower

A PlayPower, Inc. Company