



Designer of play and sports areas

Mannachie Play Area

Warranties and Guarantees

Proludic offer comprehensive guarantees for their entire range of products. The overall design of the outdoor gym, proposed orientation, and location of individual items of equipment, and safer surfacing all comply with EN 1176, EN 16630 and EN 1177. All our products are independently certified by TUV and tested to the most up to date safety standards.

All products selected in this design are robust, durable and built with the highest quality materials with longevity as a key factor. We do not believe in compromising quality for lower cost products. All of our equipment is manufactured at our manufacturing facility in France by skilled craftsmen. We use top quality eco-friendly materials that undergo rigorous testing to ensure our products are of premium quality.

All our equipment and safer surfacing is installed by our vetted and insured subcontractors in accordance with Proludic installation instructions. We are key players within the European play equipment design & manufacturing industry. Therefore, we are always at the forefront of continual product development. This allows us to react to changes in European Safety Standards quickly and without disruption to our business activities.

We confirm within our submission, that this contract will include a guarantee for the workmanship of construction and installation for a minimum period of 12 months.

Typically, the lifetime of a play area and outdoor sports equipment is 20 years. This is due to dilapidation, material developments, fashion etc. Since we offer a 25-year warranty on some materials, this exceeds those expectations and the claims of others offering lifetime warranties. We are committed to the quality and durability of our products using carefully selected materials and by applying the highest manufacturing standards.

We pride ourselves in providing the best possible value to our clients. A high specification product that is designed and tailored to your specific site. We support this with an exclusive project discount (see pricing schedule or appended quotation).

EN 1176 & EN 1177
Compliant

12 month
workmanship
warranty

All products
produced in
France

Up to 25 year
warranty on
materials

Proludic is renowned as a high-specification aspirational play and sports brand. Furthermore, we are regarded as a design-led play manufacturer with an eye for detail. This combination of endurance and aesthetics give Proludic equipment its appeal – it looks great and is built to last.

We appreciate the cost of developing and maintaining outdoor sports areas, so we have selected equipment for this project which will stand the test of time. The new Mannachie Play Area will attract the entire community - all posts, fixtures and fittings need to be of the highest quality to withstand this high footfall, accommodating for multiple users using equipment at the same time.

We have put in place demanding technical and industrial procedures from the design phase through the entire product life-cycle. During manufacturing, we undertake extensive testing to ensure the durability of our products are of the highest standards. Details of our tests to ensure durability are outlined below.

To test for deterioration, maximum load/admissible tension we apply load bearing testing which determines the maximum equipment strength. The stresses applied during tests are systematically greater than those required by the regulations (EN 1176 & EN 15530), ensuring result reliability.

We continuously expose an item of equipment to a given phenomenon; immersion in water, exposure to salt spray, exposure to ultraviolet radiation, etc. with readings taken at regular intervals. This tests for UV radiation, damp, and frost resistance. Moreover, to determine wear linked to repetitive movements and use (impact, abrasion and wear due to repetitive movements) we accelerate usage. We do this through increasing the frequency of repetitions to obtain actual ageing over a shorter period.



Our Commitment

We design, manufacture and install products and fun sports spaces offering the highest quality and safety.

All products selected in the design for Mannachie Play Area are robust, durable and built with the highest quality materials with longevity as a key factor. We do not believe in compromising quality for lower cost products. All of our equipment is manufactured at our manufacturing facility in France, by skilled craftsmen. We use top quality eco-friendly materials that undergo rigorous testing to ensure our products are of premium quality.

We have put in place demanding technical and industrial procedures from the design phase through the entire product life-cycle. During manufacturing we undertake extensive testing to ensure the durability of our products are of the highest standards. Details of our warranties can be found on the right.



Our guarantees*:

25 years for any structural failure of sport or play products due to a material or manufacturing failure of:

- Panels (lacquered plywood / coloured compact / polyethylene)
- Posts (painted galvanised steel, galvanised steel, stainless steel)
- Stainless steel tubes

15 years for any structural failure of sport or play products due to a material or manufacturing failure of:

- Robinia wood planks

10 years for any structural failure of sport or play products due to a material or manufacturing failure of:

- Metal components (with the exception of springs, moving or mechanical parts and fixings)
- High density plastic parts (with the exception of moving or mechanical parts)
- Non-slip plywood and compact panels
- Posts (Timber)

5 years for any structural failure of sport or play products due to a material or manufacturing failure of:

- Springs and mechanical systems
- Moulded or rotary moulded plastic parts (with the exception of moving parts)
- Metal Crimps and rope assemblies

2 years for any defect or manufacturing fault of component parts.

*Our Material Guarantee Matrices reflecting the products presented within our submission for Mannachie Play Area can be found on the following pages.

Metal Pod Swing

J441®

Material		Guarantee Period				
		25 Years	15 Years	10 Years	5 Years	2 Years
89mm galvanised steel horizontal beam		✓				
60mm galvanised steel legs		✓				
Rotomoulded polyethylene Pod Swing with stainless steel frame					✓	
PVC sliding rings						✓
Double joined stainless steel swing mechanism					✓	
13mm coloured HPL panels		✓				
Fixings						✓


Metal Cableway

J514®

Material		Guarantee Period				
		25 Years	15 Years	10 Years	5 Years	2 Years
250x100x4mm galvanised steel Cableway beams		✓				
Stainless steel trolley with polyamide wheels					✓	
Honeycomb rubber seat					✓	
60mm steel tubes		✓				
12.5mm non-slip HPL platforms				✓		
Fixings						✓

Metal Flat Seat Swing

J472®

Material		Guarantee Period				
		25 Years	15 Years	10 Years	5 Years	2 Years
60mm galvanised steel support legs		✓				
89mm galvanised steel horizontal beam		✓				
Stainless steel swing bearings					✓	
13mm HPL coloured panels		✓				
Moulded honeycomb rubber seat and stainless steel chains					✓	
Fixings						✓






Toboggan HT 1070

J1010®

J1010®		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
2mm thick stainless steel slide surface					✓	
13mm coloured HPL panels		✓				
40mm stainless steel tubes		✓				
Fixings					✓	





Hip Hop

J2410®

J2410®		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
110mm galvanised steel posts		✓				
60mm lacquered steel tube		✓				
Injection moulded polyamide plastic parts					✓	
Rubber non-slip seats					✓	
Fixings						✓

Rollrunner

J3510®

J3510®		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
180cm stainless steel wheel					✓	
40mm stainless steel tubes		✓				
13mm coloured HPL panels		✓				
10mm polyethylene plated roof				✓		
Fixings						✓




Origin Multiplay Climbing Unit

J4946®

J4946®		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
Sap-free Robinia wood posts			✓			
12.5mm non-slip HPL platforms				✓		
16mm galvanised steel cable in polyester rope					✓	
Stainless steel chains					✓	
Aluminium net and chain fixings						✓
Fixings						✓






Origin Horizontal Bars

J4912®

J4912®		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
Sap-free Robinia wood posts			✓			
21mm stainless steel tubes		✓				
Fixings						✓


Diabolo Multiplay Unit

J38107-C®

J38107-C®		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
13mm coloured HPL panels		✓				
12.5mm non-slip HPL platforms and climbing wall				✓		
90mm square and 125mm round painted steel posts		✓				
10mm polyethylene plated roof				✓		
40mm stainless steel tubes		✓				
Stainless steel cable in polyester with polyamide spheres					✓	
2mm thick stainless steel slide surface					✓	
Polypropylene climbing holds				✓		
Fixings						✓


Fahr 3 in a Row Game Play Panel

UKFIROW6

UKFIROW6		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
Two-colour HDPE panel				✓		

Fahr Tic Tac Toe Game Play Panel

UKFITICTAC6

UKFITICTAC6		Guarantee Period				
Material		25 Years	15 Years	10 Years	5 Years	2 Years
Two-colour HDPE panel				✓		



Technical Evaluation Response

Quality of materials

We are committed to the quality and durability of our products using carefully selected materials and applying the highest manufacturing standards. Our products are independently certified by TUV and tested to the current EN1176 standards. We provide an unconditional twelve months warranty including parts and labour on all areas of work carried out.

Proludic continues to observe equipment once it has been installed through the innovative 'Proludic Observatory' programme. This is to primarily monitor and analyse products and their usage in a variety of locations and environments throughout the world.

This is a vital part of understanding how we must continually develop our products to withstand extensive use, as our research and records tell us that each play area is subject to 60,000 hours of play within a 15-year period. Using the knowledge gathered through this programme of post installation inspections and monitoring we ensure the selection of appropriate materials for each application.

We only work with high grade steel and tough plastic joints which are highly durable and provide high resistance to vandalism. We have put in place demanding technical and industrial procedures from the design phase through the entire product life cycle. These indicators cover all services from the choice of raw materials to the tests carried out at the design stage, manufacturing inspections and on-site monitoring of equipment.



“ Proludic offer excellence through high quality manufacturing, where precision craftsmanship converge to create products built to stand the test of time ”



Manufacturing

Proludic manages all stages in its manufacturing chain through an experienced technical team and a wide array of specialised, modern machinery. Our play equipment is installed worldwide and is designed to withstand rigorous and sustained usage in unsupervised public spaces. As such it has to stand up to all requirements of intensive outdoor use and the considerable climatic variations from one country to another.

The choice of high-quality materials and full control of the manufacturing process from machining to painting; are essential in ensuring the long-term durability of our products in these different environments.

Our production cycle involves regular checks at each stage of the manufacturing process. These checks are applied to both the raw materials and the production process, which enables us to guarantee the quality of our products to ensure that we meet our commitments.

All Proludic products...

- Bolts have locking nuts
- Stainless-steel supports are installed into concrete
- Fixings are tamper resistant and need specialist hand tools
- Steel is painted in a hammerite finish to increase durability and reduce scratching with high resistance to UV radiation and corrosion
- Plastic components are shatter resistant and have a 5-year warranty
- Springs are guaranteed for 5 years, the longest in the industry
- Coatings are graffiti resistant
- Compact composite panels offer a splash of colour with the use of pigmented resins that provide good levels of resistance to UV radiation and aggressive cleaning products. They also show high levels of dimensional stability over long periods of time and are unaffected by exposure to major temperature variations, guaranteeing the durability and solidity of the assembled elements



Technical Evaluation Response

Proposed equipment and variety of features

Within our proposal, we have included 11 new items of equipment with a wide range of features to maintain interest and support user development. The following offers a breakdown of these features, providing insight into how children interact with the equipment.

Each item has been carefully chosen in line with the project brief to meet the Council's requirements. A breakdown of the inclusive aspects of these items is described in the following section (Accessibility and inclusivity of proposed equipment) of this proposal.



Metal Cableway **J514®**

The Cableway allows children to test their speed and strength. It has two beams 27m apart which children can glide from one end to the other with fascination and excitement.

A platform offers users extra support assisting them in climbing onto the seat and gives them a push of speed to help them reach the opposite end. The rubber seat is constructed from a honeycomb structure with shock absorbing properties to protect the user and add extra comfort whilst gliding.



Metal Pod Swing **J441®**

The Pod Swing encourages group play and social interaction. Children can work together to swing as high as possible, make new friends and see how many of them can fit in the pod at once.

Swings combine motor coordination and sensory stimulation and develop the sensation of feeling the body move in space.

Our Pod Swing is 1.24m wide making it the largest in the play industry allowing a parent or carer to swing alongside a child. The swing allows up to five children to swing at any one time.



Diabolo Multiplay Unit

J38107-C®

Themed equipment provides children, aged from 3+, with a stage in the playground on which to act out stories and experience numerous adventures. Diabolo provides a variety of activities in a compact space. Many of the classic types of play equipment are included to engage both younger and older children. The unit accommodates up to 25 children at once, proving to be a real highlight of our design.

Slide - The slides (Height 1.37m) enable users to experience the ever popular pleasure of sliding down to the ground from platforms located at different heights. A protective bar at the top of the slide prevents any accidental falls, as well as providing a support for users sitting themselves on the stainless steel slide bed.

Floating Steps - The floating steps are a unique play experience that can be used to move between two platform. The innovative design features rubber steps that are both free moving and also at the same time connected to one another. Each forward step that the child takes requires them to master their balance on the rubber steps swing backwards, forwards and sideways.

Speed Slide - The modern, innovative design of the speed slide encourages users to try out numerous different ways of coming down it or even climbing up it. By placing their legs either side of the bars, on top or underneath, as they come down, it's the users who make up the rules. Climbing up is even more challenging, as children pull themselves up in much the same way as someone climbing up a rope.

Curved Ladder - The curved shape of the stainless steel ladder adds an extra design and play dimension to this platform access. It requires children to use strength and balance to climb the rungs of the ladder, before using their spatial awareness to negotiate the gap between the ladder and the platform.



Origin Multiplay Climbing Unit

J4946®

Our Origin range has grown from the instinctive desire children have to play and interact with the natural environment. The range captures the essence of nature by combining natural elements with clean product lines, minimal design and essential play activities, the fundamental principles of our Origin range.

This Origin Trail multiplay unit has:

- Platform
- Vertical Ladder height 1.17m
- Flexible Log Ladder height 1.37m
- 2 x Vertical Nets
- Rope Walkway

Children will be able to test their balance and coordination as they make their way around this multiplay unit.



Hip Hop

J2410®

Our Hip Hop is a conventional seesaw and roundabout, spinning and rocking in a helix motion which is unique to this piece of equipment. A recently modified design has further improved the durability of the product as well as opened up the age range making the product accessible to slightly younger users than the previous model.

The Hip Hop is an iconic piece of equipment which will give a truly unique feel. For two users at a time the Hip Hop bounces like a seesaw but also spins in a helix as they spin it round faster and faster. Depending on how daring users feel, they can either sit or stand, experiencing a combination of rotation and a gentle rocking sensation.



“The whimsically entertaining rotating hip-hop see-saw promises giggles and grins!”



Rollrunner

J3510®

The Rollrunner will take centre stage of any play area. Once inside the unit users will need to keep their balance and coordination as they start to walk and spin the inner wheel.

Once you have built up your confidence you can start to run which will make the wheel turn faster and faster. On the outer rim is a counter, once the unit stops you will be able to see how many revolutions you have done.



Metal Flat Seat Swings

J472®

Generations of children have enjoyed swings and although their colours have become brighter, their materials more robust, the principle has remained the same.

Swings provide the most popular sensations. Swinging combines motor coordination and sensory stimulation and develops the sensation of feeling the body move in space.




Origin Horizontal Bars

J4912®

Our Origin range has grown from the instinctive desire children have to play and interact with the natural environment. The range captures the essence of nature by combining natural elements with clean product lines. Minimal design and essential play activities are the fundamental principles of our Origin range.

Our Origin range has been designed to develop children's physical and motor skills. These horizontal bars will test children's balance and coordination as they make their way across.



Toboggan HT 1070

J1010®

The slide is still a firm favourite with children. Whatever the size or shape sliding is great fun! Slides provide the sensation of speed without the child having to make any effort during the descent. Slides are a traditional choice for play areas and are always very popular.



Fahr 3 in a Row Game Play Panel

UKFIROW6®

The three in a row game play panel has a total of 16 moveable red and yellow sliding discs that glide effortlessly around the panel. Because the discs slide in tracks, there are no loose pieces to worry about going missing or to put away and get out again each day. This is a fun entertaining game for children to play with great educational and problem solving value.



Fahr Tic Tac Toe Game Play Panel

UKFITICTAC6®

The Tic Tac Toe game provides a fun way to learn. Children will be able to match the shapes whilst developing logical understanding and strategy. This unit is also accessible to all. The colours are high contrasting and the O's and X's are all laser cut to ensure this game can be played through sight or touch.

Play panels can be a collective play experience, especially in terms of helping each other and finding solutions. Play panels are a fantastic tool for encouraging physical and practical play and can help develop a child's concentration skills and improve their coordination.



*“a play area that both captivates
and delights”*





73+ Users

80+ Play Values

Up to 25 Year Guarantee



Proludic Design
Mannachie Play Area



Technical Evaluation Response

Accessibility and inclusivity of proposed equipment

We have included as many inclusive items as was possible within our design for Mannachie Play Area. We have described some of these inclusive elements below to show where we could include equipment which could cater to many children at once.

Pod Swing

An inclusive playground pod swing goes beyond the traditional swing by accommodating children of all abilities. Its thoughtful design focuses on creating an environment where every child can engage in play together.

The swing provides features such as spacious seating, and sensory elements to cater to children with diverse needs. This inclusivity fosters a sense of belonging, allowing children with varying physical abilities, sensory sensitivities, or developmental differences to experience the joy of swinging alongside their peers. In essence, the playground pod swing promotes equality, social interaction, and a sense of accomplishment for all children, making playtime a truly inclusive and enriching experience.

Inclusive Roundabout

An inclusive children's flush roundabout on a playground signifies our commitment to making play spaces accessible and enjoyable for children of all abilities. This type of equipment offers features that accommodate children with varying physical needs, ensuring that everyone can participate in the fun.

Since the roundabout being flush to the ground and having grappling bars which offer safety, we offer all children an opportunity to get involved. An inclusive approach encourages social interaction and play among children, regardless of their individual abilities, fostering a sense of belonging and unity.

Play / Sensory Panels

Play panels can play a big part in inclusive playgrounds because they can cater to children with varying sensory needs. Some panels provide a multi-sensory experience that engages children's senses of touch, sight, sound, and sometimes even smell or motion. What makes the play panels in our design supportive of inclusivity:

- Sensory Preference: These panels offer a range



of textures and colours to accommodate different sensory sensitivities and preferences. Children can choose the panel that best resonate with their sensory experiences.

- **Promote Exploration and Interaction:** Children of all abilities can interact with sensory panels, regardless of their mobility or physical challenges. These panels encourage active exploration through touch, sight, and sometimes even auditory interactions.
- **Cater to Sensory Processing Differences:** For children with sensory processing differences, such as those on the autism spectrum, sensory panels provide a controlled and engaging way to experience sensory stimuli. This can help them feel more comfortable.
- **Encourage Social Interaction:** Play panels can be enjoyed individually or in groups. They provide a common point of interest for children to gather around, fostering social interaction and shared experiences.
- **Stimulate Cognitive Development:** The diverse textures, shapes, and colours on sensory panels encourage cognitive development by stimulating curiosity, problem-solving skills, and imaginative thinking.
- **Accommodate Various Abilities:** Our play panels are positioned at heights which accommodate children who are standing, seated, or using mobility devices, ensuring that everyone can engage with them.

Metal Flat Swings

Playground flat swings provide an environment where children of diverse abilities can engage in cooperative play, enjoy sensory experiences, and build social connections, making them an integral part of an inclusive play space.






Swinging on a flat surface challenges children's balance and coordination skills, offering a therapeutic and developmental benefit for all children. Overall, inclusive playground flat swings provide an environment where children of diverse abilities can engage in cooperative play, enjoy sensory experiences, and build social connections, making them an integral part of an inclusive play space.




Prepared for: Moray Council
 Our Reference: 2308.39582
 Date: 16 August 2023



Quotation for Mannachie Play Area - Forres

Qty	Code	Product Name	Unit Price	Total Line Price
01. Proludic Play				
1	J514A	Metal Cableway for level ground	6,948.00	6,948.00
1	PJ514A	Installation of Metal Cableway (level ground) - J514A	1,960.00	1,960.00
1	J38107A-C	Diabolo Multiplay Unit	15,949.35	15,949.35
1	PJ38107A-C	Installation of J38107A-C Diabolo Multiplay Unit	2,791.14	2,791.14
1	J4946A	Origin Multiplay Unit	5,124.24	5,124.24
1	PJ4946A	Installation of J4946A	1,076.09	1,076.09
1	J4912A	Origin Horizontal Bars	1,026.00	1,026.00
1	PJ4912A	Installation of Origin Horizontal Bars J4912A	455.00	455.00

1		J472A	Metal Flat Seat Swing (2.09m high frame)	1,558.80	1,558.80
1		PJ472A	Installation of J472A Metal Flat Seat Swing (2.09m high frame)	483.00	483.00
1		J441A	Metal Pod Swing	3,254.40	3,254.40
1		PJ441A	Installation of J441A - Metal Pod Swing	665.00	665.00
1		PJ2410A	Installation of J2410A - Hip Hop	420.00	420.00
1		J2409A	Wheelchair Accessible Roundabout	5,916.00	5,916.00
1		PJ2409A	Installation of J2409A - Wheelchair Accessible Roundabout - Inc Off Loading	980.00	980.00
1		J2410A	Hip Hop	4,609.44	4,609.44
1		J3510B	Rollrunner	13,095.00	13,095.00
1		PJ3510B	Installation of J3510B - Rollrunner Including Handling	1,302.00	1,302.00

1		J1010A	Toboggan HT 1070	1,553.58	1,553.58
1		PJ1010A	Installation of Toboggan Slide - J1010A	420.00	420.00
				Total:	£69,587.04

05. Partnership Play Equipment

1		UKFIROW6	Fahr 3 in a Row Game Play Panel (800x595mm) including 2No. posts	811.95	811.95
1		UKPFIROW6	Installation of UKFIROW6 Fahr 3 in a Row Game Play Panel (800x595mm) including 2No. posts	175.00	175.00
1		UKFITICTAC 6	Fahr Tic Tac Toe Play Panel (800x595mm) including 2No. posts	763.97	763.97
1		UKPFITICTA C6	Installation of UKFITICTAC6 Fahr Tic Tac Toe Play Panel (800x595mm) including 2No. posts	175.00	175.00
				Total:	£1,925.92

09. Safer Surfacing

220		UKGRASSM AT	SUPPLY ONLY Grassmat (per mat) MUST INCLUDE UKGMESH	22.10	4,862.00
11		UKGMESH	SUPPLY ONLY Ground Stabilising Mesh for grassmat (1x30m roll) allows for 20 Mats (30m ²)	84.50	929.50
309		UKINSTALLG RASSMAT	Installation of Supply Only Grassmat (per m2)	14.00	4,326.00
1		UKGMSHOC KPAD	Supply & Lay 28m ² Grassmat Shockpad - Playsmart 30 Smart Play 2 (to achieve 3m cfh)	41.60	41.60
1		UKWETPOU R	33m ² Black Wetpour to a depth of 40mm (See CAD for details)	3,913.00	3,913.00
				Total:	£14,072.10

10. Groundwork and Landscaping

1	UKDRAINAGE	Supply & Install Drainage to help reduce standing water under Flush Roundabout	325.00	325.00
35	UKPB1300	Excavation into GRASS up to 200mm deep (spoil off site)	18.20	637.00
35	UKPB1701	Supply & Lay MOT Type 1 Stone 100mm Deep bulk bag per m ²	31.20	1,092.00
21	UKB1200	Concrete Kerb Flat Top Edging (PCC) 900x150x50mm per LM	9.75	204.75
21	UKPB1200	Installation of UKB1200 Concrete Kerb Flat Top Edging (PCC) 900x150x50mm per LM	18.20	382.20
2	UKPB1704	Supply & Lay Concrete 75mm Deep per m ²	33.80	67.60
Total:				£2,708.55

11. Miscellaneous Items

1	UKA1005	Prelims	2,640.00	2,640.00
Total:				£2,640.00

12. Services

1	UKA1100	Post Installation Inspection	475.00	475.00
Total:				£475.00

Delivery Charge: £6,361.07

Discount: £12,769.68

Total Quote Amount: £85,000.00

Drainage for underneath the J2409A Roundabout has been included, this is to reduce the amount of standing water but does not ensure that standing water will not occur.

Subject to full site survey from a Proludic Representative.

Based on a flat fully established grass site.

Proposed Grassmat Safer surfacing is based on a fully established grass site (including a minimum of 150mm of good quality soil and turf).

Proposed Grassmat will follow the natural contours of the land.

Wetpour guarantees are only valid when laid onto appropriate subbase with pre-cast concrete edging (PCC) to the manufacturer's specification. Wetpour guarantees will not be applicable when wetpour is laid onto any existing surface this includes (but not limited to) existing wetpour, paving slabs, tarmac & concrete.

Preliminaries have been included within your quotation, these equate to site setup, safety fencing, safety signage, welfare, offloading of equipment, storage & waste removal.

All pathways, furniture, planting, mounding and any other soft landscaping works not mentioned above are to be done by others.

This quote is valid until 16/11/2023
Please note all prices quoted are excluding VAT

Terms and Conditions

Formation of a Contract

The quotation given on or attached to these terms and conditions will remain valid for a period of 90 days, unless otherwise stated on the quote. Acknowledgment and acceptance of this proposal is made by you placing an order within the specified period above, at which time you will be bound by these terms and conditions. Each proposal accepted shall constitute an individual legally binding contract between you and us. Such contract is hereinafter referred to in these terms and conditions as "an order". Nothing in these terms and conditions shall prejudice any condition or warranty expressed or implied, or any legal remedy to which we may be entitled in relation to the goods / and or the work the subject of this order.

Our Responsibility

We will ensure that all materials supplied comply with safe building practices and are free from defects and that any work carried out is carried out with reasonable care and skill and to a reasonable standard. Before starting any work we will carry out an inspection to make sure that all work quoted is appropriate and practicable. If after our inspection any further work is necessary either because of alterations in design, specification or otherwise and this causes an increase in costs we will send you a further proposal giving details of the extra costs and will only proceed with the works once your written acceptance has been received. Subject to our terms we will carry out the work in accordance with our proposal. We will make good any damage caused whilst carrying out the work.

Your Responsibility

You will permit us during normal working hours to carry out an inspection and thereafter to undertake the works according to the programme set out in the proposal. You will remove all items necessary to allow us to commence the works and cover and protect all fixtures and fittings, which cannot be removed. You will obtain all permissions and consents, (including if necessary planning permission) from landlords, local authorities and others, which are required before the work can commence. Where you are required to provide us with measurements or other information such measurements or information must be correct. If we rely on the measurements or information given when preparing our proposal and such measurements or information are incorrect we reserve the right to increase the price to make good any errors or additional works required as a result.

Payment

Goods are invoiced upon dispatch. Payment terms are strictly net 30 days from the date of invoice. Acceptance of this order constitutes agreement of these terms and overrides any other payment terms, including any quoted on your purchase order. We reserve the right to issue interim invoices or applications for payment, or request payment prior delivery or installation on a proforma basis. Please note all prices quoted are excluding VAT.

Delivery/Installation Dates

UK delivery is priced at 10% (with a minimum £100 charge) based on the total list price value of the equipment. We reserve the right to increase the delivery charge dependent on location of delivery address, all amended prices will be notified on quotations. You will be provided with an estimated delivery date on receipt of order and updated throughout the order process. Delivery is approximately 4-6 weeks from the date of order. Deliveries that cannot be accepted by the customer within 4 weeks of the agreed date, will be subject to a storage charge of £100 per week or 1% of the equipment value, whichever is greater

Minimum Installation Charge

On orders received with installation, a minimum installation charge per site of £1000 applies in all cases.

Budget costs assume that easy lorry access & precise siting of the equipment will be provided, no surface or underground obstructions will be encountered during excavation such as concrete, hard-core, rock, chalk, roots, drainage, gas or water pipes, telephone or electricity cables etc. In the event of any such obstructions we reserve the right to charge for any additional work involved. We cannot accept liability for any consequent charges that may be incurred by disruption of any of the foregoing services. For fixed installation prices, a site survey is required by a company representative prior to the order being placed

Main Contractor's Discount

Our quotation does not include for a Main Contractor's Discount. If a 2.5% Main Contractor's Discount is applicable, please add 2.563% to our quoted prices.

Cancellation Policy

The Company reserves the right to levy a cancellation charge of:

- 25% of the total order value if cancelled more than 6 weeks from the scheduled delivery / start date.
- 50% of the total order value if cancelled less than 6 weeks from the scheduled delivery / start date.

Please Note: Any such charge is non-negotiable and is solely at the discretion of the Company. All drawings, descriptive and forwarding specifications, particulars of weights and dimensions are approximate only and not binding and illustrations contained in catalogues, price lists, sales literature and other advertisement material are for the purpose of general description only and none of these shall form part of this Contract.

The Play Hub, Bradmore Business Park, Loughborough Road, Nottingham NG11 6QA

Mannachie Play Area

Design Synopsis

We've adhered to every aspect of the tender document's specifications, hand-picking the finest options to create a truly exceptional play area. To kick things off, we've installed an all-inclusive roundabout, surrounded by a rubber wet pour surface.

Continuing this exhilarating journey, we've incorporated a thrilling zip line that will undoubtedly set young hearts racing. Not stopping there, we've included dynamic two-bay swings, amplifying the enjoyment factor for all the little adventurers.

Our pod swing accommodates up to five children, promoting inclusive group play for those with limited motor function.

For those seeking a dash of challenge, our meticulously designed agility trail awaits, complete with additional monkey bars, testing skill and strength. And let's not forget the whimsically entertaining rotating hip-hop see-saw that promises giggles and grins.

Unleash the thrill of play with the Diabolo Climbing Unit – a world of adventure in one structure! From soaring down the 1.37m slide to conquering the 'speed slide,' curved ladder, and floating steps, this innovative structure guarantees excitement while fostering physical development.

But that's not all – a standalone slide provides a speedy descent, while sensory panels engage young minds in captivating ways. Safety remains paramount, with rubber grass matting as the safety surfacing of choice.

And now, the pièce de résistance – our innovative 'hamster-wheel' Rollrunner. This imaginative addition elevates the play area's appeal making it a magnetic hub for all ages in the community. With these curated elements, we're delivering a play area that both captivates and delights.



PROLUDIC LTD

The Play Hub
Bradmore Business Park
Loughborough Road
Bunny, Nottinghamshire
NG11 6QA

Tel: 0115 982 3980

Email: info@proludic.co.uk

proludic.co.uk



Regional Sales
Manager (Scotland) -
Roy Auld