



# Timber Aerial Runway (26m - 30m)


**Playdale**  
Playgrounds




<b>Technical Information</b>					
<b>Unit Size</b>	<b>26m</b>	<b>27m</b>	<b>28m</b>	<b>29m</b>	<b>30m</b>
<b>Equipment Dimensions</b>					
Length / Width / Height	26m x 2.4m x 3.9m	27m x 2.4m x 3.9m	28m x 2.4m x 3.9m	29m x 2.4m x 3.9m	30m x 2.4m x 3.9m
<b>Surfacing and Area Required</b>					
Minimum Space Required LW/H	28.5m x 4.6m x 5.4m	29.5m x 4.6m x 5.4m	30.5m x 4.6m x 5.4m	31.5m x 4.6m x 5.4m	32.5m x 4.6m x 5.4m
Required Gradient of Ground	Fall 500mm +/- 200 over Unit Size (m)				
Free Height of Fall	1.5m				
Impact Area	n/a				
Loosefill (Bark / Cushionfall / Sand) at 250mm	27m <sup>3</sup>	28m <sup>3</sup>	29m <sup>3</sup>	30m <sup>3</sup>	31m <sup>3</sup>
Grasslok Tiles	117m <sup>3</sup>	121.5m <sup>3</sup>	126m <sup>3</sup>	130.5m <sup>3</sup>	135m <sup>3</sup>
<b>Installation Information</b>					
Overall Weight	679kg	679kg	680kg	680kg	681kg
Heaviest Part	77kg				
Largest Part	2.2m x 0.8m x 0.1m				
Longest Part	3.9m				
Concrete Required	3.5m <sup>3</sup>				
 KITEMARKED TO BS EN 1176					

# Jungle Climber-Burundi

**Playdale**  
Playgrounds



Circulation Area\*



-  Loosefill Area
-  Impact Area
-  Free Space
-  Unit Spacing Boundary

\* Recommended Circulation Area (1.2m outside impact area) – this area should be clear of solid raised objects (ie fences, walls, trees and other items of equipment). Loose fill retaining edgings are acceptable in this area.

## Technical Information

### Equipment Dimensions

Length / Width / Height 3.7m x 5.0m x 2.9m

### Surfacing and Area Required

Minimum Space Required L/W/H 8.6m x 10.0m x 5.3m

Max Gradient Of Ground 1:50

Free Height Of Fall 2.9m

Impact Area 58.03m<sup>2</sup>

Loosefill At 350mm 23m<sup>3</sup>

Bark / Cushionfall / Sand 75

Grasslok Tiles 75

### Installation Information

Overall Weight 620kg

Heaviest Part 61kg



Largest Part 5m x 0.14m x 0.14m

Longest Part 5m

Concrete Required 0.35m<sup>3</sup>

COMPLIES TO BS EN 1176

## Movers – Inclusive Orbit



### Technical Information

#### Equipment Dimensions

Length / Width / Height **2m x 2m x 1m**

#### Surfacing and Area Required

Minimum Space Required LW/H **6.1m x 6.1m x 2.5m**

Max Gradient of Ground **1 in 50**

Free Height of Fall **1.0m**

Impact Area **26.62m<sup>2</sup>**

Loosefill at 250mm

**n/a**

Bark / Cushionfall / Sand

**n/a**

Tiles

**n/a**

#### Installation Information

Overall Weight **243kg**

Heaviest Part **45kg**

Largest Part **2m x 2m x .6m**

Longest Part **2m**

Concrete Required **0.4m<sup>3</sup>**




KITEMARKED TO BS EN 1176

Note: This unit is not suitable for installation in to Loosefill

# Adventure Trail – Combo 10

**Playdale**  
Playgrounds



## Technical Information

### Equipment Dimensions

Length / Width / Height **13.5m x 0.5m x 2.5m**

### Surfacing and Area Required

Minimum Space Required L/W/H **17.2m x 5.1m x 3.7m**

Max Gradient of Ground **1:20**

Free Height of Fall **550mm**

Impact Area **34.82m<sup>2</sup>**

Loosefill at 150mm **11.0m<sup>3</sup>**

Bark / Cushionfall / Sand

1m x 1m Rubber Tiles **n/a**

### Installation Information

Overall Weight **269kg**

Heaviest Part **40kg**

Largest Part **3.3m**


Longest Part **3.3m**

Concrete Required **0.58m<sup>3</sup>**



KITEMARKED TO BS EN 1176

# Adventure Trail – Monkey Bars



## Technical Information

### Equipment Dimensions

Length / Width / Height      3.0m x 0.43m x 2.0m

### Surfacing and Area Required

Minimum Space Required L/W/H      6.8m x 4.2m x 3.2m

Max Gradient of Ground      1:20

Free Height of Fall      1.95m

Impact Area      18.78m<sup>2</sup>

Loosefill at 350mm      9m<sup>3</sup>

Bark / Cushionfall / Sand      n/a

1m x 1m Rubber Tiles      n/a

### Installation Information

Overall Weight      114kg

Heaviest Part      39kg

Largest Part      3.0m x 0.4m x 0.14m

Longest Part      3.0m x 0.4m x 0.14m

Concrete Required      0.13m<sup>3</sup>



KITEMARKED TO BS EN 1176

# Woodland Themed Jukebox – Freestyle

**Playdale**  
Playgrounds



## A junior tower system comprising of:

- Square Tower (1.9m)
- Triangular Tower (1.9m)
- Tube Slide (1.9m)
- Climbing Wall (1.9m)
- Curved Bridge
- Rope Weaver
- Spinner
- Trapeze Handles
- Bubble Play Panel
- Musical Play Panel

## Code – QJBFRE012

### Age

5-12 years

### Materials

Laminated Timber  
Compact Grade Laminate (CGL)  
Galvanised or Painted Mild Steel  
Nylon Steel Cored Rope  
LLDPE Tube Slide  
Stainless Steel  
Various Plastic Mouldings

## Technical Information

### Equipment Dimensions

Length / Width / Height **7.6m x 5.1m x 3.8m**

### Surfacing and Area Required

Recommended Minimum Space **11.8m x 8.4m x 5.0m**

LW/H

Max Gradient of Ground **1 in 50**

Free Height of Fall **1.9m**

Impact Area **58.65m<sup>2</sup>**

Synthetic Area **63.85m<sup>2</sup>**

(i.e. EPDM / Wetpour / Synthetic Grass etc.)

Loosefill at 250mm **19m<sup>3</sup>**

(i.e. Bark / Cushionfall / Sand)

Grasslok Tiles **79m<sup>2</sup>**

### Installation Information

Steel Ground Fixed

Surface Fixed  
(if different)

Installation Time **2 Person(s) 14 Hour(s)**

Overall Weight **890kg**

Heaviest Part **70kg**


Largest Part **3.8m x 1.0m x 2.6m**

Longest Part **3.9m**


Concrete Required **0.9m<sup>3</sup>**

Certified to EN 1176

[Click here for more information & downloads](#)




-  Impact Area
-  Free Space
-  Synthetic Area



[Click here for more information & downloads](#)

# Movers – Rota Bounce



## Technical Information

### Equipment Dimensions

Length / Width / Height 2.8 x 0.3 x 2.0m

### Surfacing and Area Required

Minimum Space Required L/W/H 7.0 x 7.0 x 3.2m

Max Gradient Of Ground 1in50

Free Height Of Fall 1.5m

Impact Area 32.15m<sup>2</sup>

Loosefill At 250mm 10m<sup>3</sup>

Bark / Cushionfall / Sand 46.5m<sup>2</sup>

Grasslok Tiles 0.4m<sup>2</sup>

### Installation Information

Overall Weight 81 kg

Heaviest Part 40 kg

Largest Part 2.8 x 1.6 x 0.3m


Longest Part 2.8m

Concrete Required 0.4m<sup>2</sup>

KITEMARKED TO BS EN 1176



# Adventure Trail – 3 Face Ledge



## Technical Information

### Equipment Dimensions

Length / Width / Height 3.9m x 1.0m x 2.2m

### Surfacing and Area Required

Minimum Space Required LW/H 7.6m x 4.7m x 3.4m

Max Gradient of Ground 1:20

Free Height of Fall 550mm

Impact Area 12.12m<sup>2</sup>

Loosefill at 150mm 4.0m<sup>3</sup>

Bark / Cushionfall / Sand

Grasslok Tiles 32m<sup>2</sup>

### Installation Information

Overall Weight 238kg

Heaviest Part 36kg

Largest Part 3.0m

Longest Part 3.0m



Concrete Required 0.25m<sup>3</sup>



KITEMARKED TO BS EN 1176

# Traditional Play – Junior Swing (2 Bay) Timber

-  Loosefill Area
-  Impact Area
-  Free Space
-  Unit Spacing Boundary



Circulation Area

<b>Technical Information</b>		
	<b>STANDARD</b>	<b>ANTIWRAP</b>
<b>Equipment Dimensions</b>		
Length / Width / Height	6.8 x 2.5 x 2.6m	6.8 x 2.5 x 2.6m
<b>Surfacing and Area Required</b>		
Minimum Space Required LW/H	7.5 x 8.1 x 4.1m	7.5 x 8.1 x 4.1m
Max Gradient Of Ground	1 in 50	1 in 50
Free Height Of Fall	1.6m	1.6m
Impact Area	44.39m <sup>2</sup>	44.39m <sup>2</sup>
Loosefill At 250mm	15m <sup>3</sup>	15m <sup>3</sup>
Bark / Cushionfall / Sand		
Grasslok Tiles	52.5m <sup>2</sup>	52.5m <sup>2</sup>
<b>Installation Information</b>		
Overall Weight	335 kg	340 kg
Heaviest Part	47 kg	47 kg
Largest Part	3.5 x 0.3 m	3.5 x 0.3m
Longest Part	3.9 m	3.9 m
Concrete Required	0.75m <sup>3</sup>	0.75m <sup>3</sup>
<b>KITEMARKED TO BS EN 1176</b>		

# Product Information

## FIVBF-AL-WP - Virtuoso Bell Flowers with Alu Post

BS EN 1176 - Designed to British & European Standards

### MATERIALS

**Panels** - Two Colour High Density Polyethylene (HDPE)

**Post** - Extruded aluminium post with powder coat finish

**Bells** - Stainless steel bells with brushed finish


### SUPPLY METHOD

**Bells** - Partially assembled

**Beaters** - Assembled

**Post** - Supplied seperately


### FEATURES

 **INCLUSIVE** - Bells positioned at easily accessible height

 **MUSICAL** - Set of 3 musically tuned bells



### DIMENSIONS



### TECHNICAL

**Age Range:** 2+ Years  
**Largest Part:** 454 x 478 x 1278mm  
**Total Weight:** 12kg Approx.  
**Surfacing:** N/A

IMPORTANT: you must specify the colour option you require at the time of order if it is different from the colour listed/shown above. requirements are subject to availability at the time of order

**Fahr Industries Ltd**  
 Spitfire Road, Old Sarum,  
 Salisbury, Wiltshire, SP4 6GB, UK

© 2022 Fahr Industries Ltd

These designs and content belong to Fahr Industries Ltd and are not to be reproduced in any way or by any means without written permission

**Tel:** +44 (0)1722 349793  
**Fax:** +44 (0)1722 349792  
**Web:** www.fahr-industries.com

# Product Information

## FIVTUBE-AL-WP - Virtuoso Tube Chimes with Alu Posts

BSEN 1176 - Designed to British & European Standards

### MATERIALS

Panels - Two Colour High Density Polyethylene (HDPE)

Post - Extruded aluminium post with powder coat finish

Chimes - Anodised aluminium with a brushed finish

### SUPPLY METHOD

Panel - Assembled

Posts - Includes T-slot stops & post caps

Beaters - Assembled

### FEATURES




**INCLUSIVE** - Chimes positioned at easily accessible height



**MUSICAL** - Set of 8 musically tuned chimes



### DIMENSIONS



### TECHNICAL

Age Range: 2+ Years  
 Largest Part: Post & Cap - 1500 x  $\phi$ 110mm  
 Heaviest Part: Chime Panel Assembly 12.4kg Approx.  
 Total Weight: 25kg Approx.  
 Surfacing: N/A

**IMPORTANT:** you must specify the colour option you require at the time of order if it is different from the colour listed/shown above, requirements are subject to availability at the time of order

Fahr Industries Ltd  
 Spitfire Road, Old Sarum,  
 Salisbury, Wiltshire, SP4 6GB, UK

© 2022 Fahr Industries Ltd

These designs and content belong to Fahr Industries Ltd and are not to be reproduced in any way or by any means without written permission

Tel: +44 (0)1722 349793  
 Fax: +44 (0)1722 349792  
 Web: [www.fahr-industries.com](http://www.fahr-industries.com)